



iPhone Pouch Tutorial

copyright Amy Friend, 2011

This pattern is for personal use only.

1. Begin by cutting your pattern pieces and fusing the fleece or interfacing to the wrong side of the outer fabric pieces A and B. Cut a piece of Velcro about 1 ¾" long.



2. With right sides together, stitch across the top of the fabric B and lining B using a ¼" seam (all seams for this pattern will be ¼").
3. Fold lining piece out of the way and stitch one piece of Velcro about ¾" from the upper edge, centered.
4. Flip lining piece to the back and iron flat. Edge stitch across the top edge.



5. Either use a ribbon loop or create a less than 1/2" wide loop and attach it to the right hand side of the pouch front, 1/2" from the upper edge. This is the time to add your label too if you have one.



6. Lay the completed pouch front on top of the lining piece A. Baste with a 1/8" seam around the outer edges.



7. Sew the other piece of Velcro to the lining flap, 3/4" from the top, centered.



8. Lay the fabric piece, A, right side down on top of the piece we just finished working on. Stitch around the outside edge, leaving an opening at the top to turn.



9. Clip corners.



10. Turn the piece, push out the corners, iron flat, blind stitch the opening closed.



11. Edge stitch around the outer edge of the flap.
12. Slip your phone into the pouch and you are done! You can attach a split ring to the loop and other hardware in order to hang it off your keys or inside your purse, etc.

Here is another example:



For this example, I used linen and appliquéd little leaves using Steam a Seam fusible web and free motion quilting.