

## Santa Barbara County Bird List

\* Current or historical breeder in the county

I Non-native or introduced

Is Species has been recorded on the Channel Islands only, or following an asterisk has nested on the Islands

### Ducks, Geese, and Swans (Anatidae)

- \_\_\_ Fulvous Whistling-Duck (*Dendrocygna bicolor*)
- \_\_\_ Greater White-fronted Goose (*Anser albifrons*)
- \_\_\_ **Emperor Goose** (*Chen canagica*)
- \_\_\_ Snow Goose (*Chen caerulescens*)
- \_\_\_ Ross's Goose (*Chen rossii*)
- \_\_\_ Brant (*Branta bernicla*)
- \_\_\_ Cackling Goose (*Branta hutchinsii*)
- \_\_\_ Canada Goose (*Branta canadensis*)\*
- \_\_\_ Tundra Swan (*Cygnus columbianus*)
- \_\_\_ Wood Duck (*Aix sponsa*)\*
- \_\_\_ Gadwall (*Anas strepera*)\*
- \_\_\_ Eurasian Wigeon (*Anas penelope*)
- \_\_\_ American Wigeon (*Anas americana*)
- \_\_\_ Mallard (*Anas platyrhynchos*)\*
- \_\_\_ Blue-winged Teal (*Anas discors*)
- \_\_\_ Cinnamon Teal (*Anas cyanoptera*)\*
- \_\_\_ Northern Shoveler (*Anas clypeata*)
- \_\_\_ Northern Pintail (*Anas acuta*)\*
- \_\_\_ **Garganey** (*Anas querquedula*)
- \_\_\_ **Baikal Teal** (*Anas formosa*)
- \_\_\_ Green-winged Teal (*Anas crecca*)
- \_\_\_ Canvasback (*Aythya valisineria*)
- \_\_\_ Redhead (*Aythya americana*)
- \_\_\_ Ring-necked Duck (*Aythya collaris*)
- \_\_\_ Tufted Duck (*Aythya fuligula*)
- \_\_\_ Greater Scaup (*Aythya marila*)
- \_\_\_ Lesser Scaup (*Aythya affinis*)
- \_\_\_ Harlequin Duck (*Histrionicus histrionicus*)
- \_\_\_ Surf Scoter (*Melanitta perspicillata*)
- \_\_\_ White-winged Scoter (*Melanitta fusca*)
- \_\_\_ Black Scoter (*Melanitta nigra*)
- \_\_\_ Long-tailed Duck (*Clangula hyemalis*)
- \_\_\_ Bufflehead (*Bucephala albeola*)
- \_\_\_ Common Goldeneye (*Bucephala clangula*)
- \_\_\_ Barrow's Goldeneye (*Bucephala islandica*)
- \_\_\_ Hooded Merganser (*Lophodytes cucullatus*)
- \_\_\_ Common Merganser (*Mergus merganser*)\*
- \_\_\_ Red-breasted Merganser (*Mergus serrator*)
- \_\_\_ Ruddy Duck (*Oxyura jamaicensis*)\*

### New World Quail (Odontophoridae)

- \_\_\_ Mountain Quail (*Oreortyx pictus*)\*
- \_\_\_ California Quail (*Callipepla californica*)\*

### Partridges and Turkeys (Phasianidae)

- \_\_\_ Chukar (*Alectoris chukar*)\*(I)
- \_\_\_ Wild Turkey (*Meleagris gallopavo*)\*(I)

### Loons (Gaviidae)

- \_\_\_ Red-throated Loon (*Gavia stellata*)
- \_\_\_ Pacific Loon (*Gavia pacifica*)
- \_\_\_ Common Loon (*Gavia immer*)
- \_\_\_ **Yellow-billed Loon** (*Gavia adamsii*)

### Grebes (Podicipedidae)

- \_\_\_ Pied-billed Grebe (*Podilymbus podiceps*)\*
- \_\_\_ Horned Grebe (*Podiceps auritus*)
- \_\_\_ Red-necked Grebe (*Podiceps grisegena*)
- \_\_\_ Eared Grebe (*Podiceps nigricollis*)\*
- \_\_\_ Western Grebe (*Aechmophorus occidentalis*)\*
- \_\_\_ Clark's Grebe (*Aechmophorus clarkii*)\*

### Albatrosses (Diomedidae)

- \_\_\_ Laysan Albatross (*Phoebastria immutabilis*)
- \_\_\_ Black-footed Albatross (*Phoebastria nigripes*)
- \_\_\_ **Short-tailed Albatross** (*Phoebastria albatrus*)

### Shearwaters and Petrels (Procellariidae)

- \_\_\_ Northern Fulmar (*Fulmarus glacialis*)
- \_\_\_ Murphy's Petrel (*Pterodroma ultima*)
- \_\_\_ **Mottled Petrel** (*Pterodroma inexpectata*)
- \_\_\_ **Galapagos/Hawaiian Petrel** (*Pterodroma phaeopygia/sandwichensis*)
- \_\_\_ Cook's Petrel (*Pterodroma cookii*)
- \_\_\_ **Stejneger's Petrel** (*Pterodroma longirostris*)
- \_\_\_ **Streaked Shearwater** (*Calonectris leucomelas*)
- \_\_\_ Pink-footed Shearwater (*Puffinus creatopus*)
- \_\_\_ Flesh-footed Shearwater (*Puffinus carneipes*)
- \_\_\_ Buller's Shearwater (*Puffinus bulleri*)
- \_\_\_ Sooty Shearwater (*Puffinus griseus*)
- \_\_\_ Short-tailed Shearwater (*Puffinus tenuirostris*)
- \_\_\_ **Manx Shearwater** (*Puffinus puffinus*)
- \_\_\_ Black-vented Shearwater (*Puffinus opisthomelis*)

### Storm-Petrels (Hydrobatidae)

- \_\_\_ Wilson's Storm-Petrel (*Oceanites oceanicus*)
- \_\_\_ Fork-tailed Storm-Petrel (*Oceanodroma furcata*)
- \_\_\_ **Ringed Storm-Petrel** (*Oceanodroma hornbyi*)
- \_\_\_ Leach's Storm-Petrel (*Oceanodroma leucorhoa*)\*(Is)
- \_\_\_ Ashy Storm-Petrel (*Oceanodroma homochroa*)\*(Is)
- \_\_\_ **Wedge-rumped Storm-Petrel** (*Oceanodroma tethys*)
- \_\_\_ Black Storm-Petrel (*Oceanodroma melania*)\*
- \_\_\_ Least Storm-Petrel (*Oceanodroma microsoma*)

### Tropicbirds (Phaethontidae)

- \_\_\_ Red-billed Tropicbird (*Phaethon aethereus*)
- \_\_\_ **Red-tailed Tropicbird** (*Phaethon rubricauda*)

### **Boobies (Sulidae)**

- \_\_\_ **Masked Booby** (*Sula dactylatra*)
- \_\_\_ **Blue-footed Booby** (*Sula nebouxii*)
- \_\_\_ **Brown Booby** (*Sula leucogaster*)
- \_\_\_ **Red-footed Booby** (*Sula sula*)

### **Pelicans (Pelecanidae)**

- \_\_\_ American White Pelican (*Pelecanus erythrorhynchos*)
- \_\_\_ Brown Pelican (*Pelecanus occidentalis*)

### **Cormorants (Phalacrocoracidae)**

- \_\_\_ Brandt's Cormorant (*Phalacrocorax penicillatus*)\*
- \_\_\_ Double-crested Cormorant (*Phalacrocorax auritus*)\*
- \_\_\_ Pelagic Cormorant (*Phalacrocorax pelagicus*)\*

### **Frigatebirds (Fregatidae)**

- \_\_\_ Magnificent Frigatebird (*Fregata magnificens*)

### **Bitterns, Herons, and Allies (Ardeidae)**

- \_\_\_ American Bittern (*Botaurus lentiginosus*)\*
- \_\_\_ Least Bittern (*Ixobrychus exilis*)\*
- \_\_\_ Great Blue Heron (*Ardea herodias*)\*
- \_\_\_ Great Egret (*Ardea alba*)\*
- \_\_\_ Snowy Egret (*Egretta thula*)
- \_\_\_ Little Blue Heron (*Egretta caerulea*)
- \_\_\_ **Tricolored Heron** (*Egretta tricolor*)
- \_\_\_ Reddish Egret (*Egretta rufescens*)
- \_\_\_ Cattle Egret (*Bubulcus ibis*)
- \_\_\_ Green Heron (*Butorides virescens*)\*
- \_\_\_ Black-crowned Night-Heron (*Nycticorax nycticorax*)\*

### **Ibises and Spoonbills (Threskiornithidae)**

- \_\_\_ White-faced Ibis (*Plegadis chihi*)\*
- \_\_\_ **Roseate Spoonbill** (*Platalea ajaja*)

### **Storks (Ciconiidae)**

- \_\_\_ Wood Stork (*Mycteria americana*)

### **New World Vultures (Cathartidae)**

- \_\_\_ Turkey Vulture (*Cathartes aura*)\*
- \_\_\_ California Condor (*Gymnogyps californianus*)\*

### **Hawks, Kites, Eagles and Allies (Accipitridae)**

- \_\_\_ Osprey (*Pandion haliaetus*)
- \_\_\_ White-tailed Kite (*Elanus leucurus*)\*
- \_\_\_ **Mississippi Kite** (*Ictinia mississippiensis*)
- \_\_\_ Bald Eagle (*Haliaeetus leucocephalus*)\*
- \_\_\_ Northern Harrier (*Circus cyaneus*)\*

- \_\_\_ Sharp-shinned Hawk (*Accipiter striatus*)\*
- \_\_\_ Cooper's Hawk (*Accipiter cooperii*)\*
- \_\_\_ Northern Goshawk (*Accipiter gentilis*)
- \_\_\_ Red-shouldered Hawk (*Buteo lineatus*)\*
- \_\_\_ Broad-winged Hawk (*Buteo platypterus*)
- \_\_\_ Swainson's Hawk (*Buteo swainsoni*)
- \_\_\_ Zone-tailed Hawk (*Buteo albonotatus*)
- \_\_\_ Red-tailed Hawk (*Buteo jamaicensis*)\*
- \_\_\_ Ferruginous Hawk (*Buteo regalis*)
- \_\_\_ Rough-legged Hawk (*Buteo lagopus*)
- \_\_\_ Golden Eagle (*Aquila chrysaetos*)\*

### **Caracaras & Falcons (Falconidae)**

- \_\_\_ **Crested Caracara** (*Caracara cheriway*)
- \_\_\_ American Kestrel (*Falco sparverius*)\*
- \_\_\_ Merlin (*Falco columbarius*)
- \_\_\_ Peregrine Falcon (*Falco peregrinus*)\*
- \_\_\_ Prairie Falcon (*Falco mexicanus*)\*

### **Rails, Gallinules, and Coots (Rallidae)**

- \_\_\_ **Yellow Rail** (*Coturnicops noveboracensis*)
- \_\_\_ Black Rail (*Laterallus jamaicensis*)
- \_\_\_ Clapper Rail (*Rallus longirostris*)\*
- \_\_\_ Virginia Rail (*Rallus limicola*)\*
- \_\_\_ Sora (*Porzana carolina*)\*
- \_\_\_ Common Moorhen (*Gallinula chloropus*)\*
- \_\_\_ American Coot (*Fulica americana*)\*

### **Cranes (Gruidae)**

- \_\_\_ Sandhill Crane (*Grus canadensis*)

### **Plovers (Charadriidae)**

- \_\_\_ Black-bellied Plover (*Pluvialis squatarola*)
- \_\_\_ **American Golden-Plover** (*Pluvialis dominica*)
- \_\_\_ Pacific Golden-Plover (*Pluvialis fulva*)
- \_\_\_ Snowy Plover (*Charadrius alexandrinus*)\*
- \_\_\_ **Wilson's Plover** (*Charadrius wilsonia*)
- \_\_\_ Semipalmated Plover (*Charadrius semipalmatus*)\*
- \_\_\_ **Piping Plover** (*Charadrius melodus*)
- \_\_\_ Killdeer (*Charadrius vociferus*)\*
- \_\_\_ Mountain Plover (*Charadrius montanus*)

### **Oystercatchers (Haematopodidae)**

- \_\_\_ **American Oystercatcher** (*Haematopus palliatus*)
- \_\_\_ Black Oystercatcher (*Haematopus bachmani*)\*

### **Stilts and Avocets (Recurvirostidae)**

- \_\_\_ Black-necked Stilt (*Himantopus mexicanus*)\*
- \_\_\_ American Avocet (*Recurvirostra americana*)\*

### **Sandpipers, Phalaropes, and Allies (Scolopacidae)**

- \_\_\_ Spotted Sandpiper (*Actitis macularia*)\*
- \_\_\_ Solitary Sandpiper (*Tringa solitaria*)
- \_\_\_ Wandering Tattler (*Tringa incana*)

- \_\_\_ **Spotted Redshank** (*Tringa erythropus*)
- \_\_\_ Greater Yellowlegs (*Tringa melanoleuca*)
- \_\_\_ Willet (*Catoptrophorus semipalmata*)
- \_\_\_ Lesser Yellowlegs (*Tringa flavipes*)
- \_\_\_ **Upland Sandpiper** (*Bartramia longicauda*)(Is)
- \_\_\_ **Little Curlew** (*Numenius minutus*)
- \_\_\_ Whimbrel (*Numenius phaeopus*)
- \_\_\_ Long-billed Curlew (*Numenius americanus*)
- \_\_\_ Marbled Godwit (*Limosa fedoa*)
- \_\_\_ Ruddy Turnstone (*Arenaria interpres*)
- \_\_\_ Black Turnstone (*Arenaria melanocephala*)
- \_\_\_ Surfbird (*Aphriza virgata*)
- \_\_\_ Red Knot (*Calidris canutus*)
- \_\_\_ Sanderling (*Calidris alba*)
- \_\_\_ Semipalmated Sandpiper (*Calidris pusilla*)
- \_\_\_ Western Sandpiper (*Calidris mauri*)
- \_\_\_ **Red-necked Stint** (*Calidris ruficollis*)
- \_\_\_ Least Sandpiper (*Calidris minutilla*)
- \_\_\_ Baird's Sandpiper (*Calidris bairdii*)
- \_\_\_ Pectoral Sandpiper (*Calidris melanotos*)
- \_\_\_ Sharp-tailed Sandpiper (*Calidris acuminata*)
- \_\_\_ Dunlin (*Calidris alpina*)
- \_\_\_ **Curlew Sandpiper** (*Calidris ferruginea*)
- \_\_\_ Stilt Sandpiper (*Calidris himantopus*)
- \_\_\_ Buff-breasted Sandpiper (*Tryngites subruficollis*)
- \_\_\_ Ruff (*Philomachus pugnax*)
- \_\_\_ Short-billed Dowitcher (*Limnodromus griseus*)
- \_\_\_ Long-billed Dowitcher (*Limnodromus scolopaceus*)
- \_\_\_ Wilson's Snipe (*Gallinago delicata*)
- \_\_\_ Wilson's Phalarope (*Phalaropus tricolor*)
- \_\_\_ Red-necked Phalarope (*Phalaropus lobatus*)
- \_\_\_ Red Phalarope (*Phalaropus fulicarius*)

### **Gulls, Terns, and Skimmers (Laridae)**

- \_\_\_ Black-legged Kittiwake (*Rissa tridactyla*)
- \_\_\_ Sabine's Gull (*Xema sabini*)
- \_\_\_ Bonaparte's Gull (*Chroicocephalus philadelphia*)
- \_\_\_ **Black-headed Gull** (*Chroicocephalus ridibundus*)
- \_\_\_ **Little Gull** (*Hydrocoloeus minutus*)
- \_\_\_ Laughing Gull (*Leucophaeus atricilla*)
- \_\_\_ Franklin's Gull (*Leucophaeus pipixcan*)
- \_\_\_ Heermann's Gull (*Larus heermanni*)
- \_\_\_ Mew Gull (*Larus canus*)
- \_\_\_ Ring-billed Gull (*Larus delawarensis*)
- \_\_\_ Western Gull (*Larus occidentalis*)\*
- \_\_\_ California Gull (*Larus californicus*)
- \_\_\_ Herring Gull (*Larus argentatus*)
- \_\_\_ Thayer's Gull (*Larus thayeri*)
- \_\_\_ Glaucous-winged Gull (*Larus glaucescens*)
- \_\_\_ Glaucous Gull (*Larus hyperboreus*)
- \_\_\_ Least Tern (*Sternula antillarum*)\*
- \_\_\_ Gull-billed Tern (*Gelochelidon nilotica*)
- \_\_\_ Caspian Tern (*Hydroprogne caspia*)
- \_\_\_ Black Tern (*Chlidonias niger*)
- \_\_\_ Common Tern (*Sterna hirundo*)
- \_\_\_ Arctic Tern (*Sterna paradisaea*)
- \_\_\_ Forster's Tern (*Sterna forsteri*)
- \_\_\_ Royal Tern (*Thalasseus maximus*)
- \_\_\_ Elegant Tern (*Thalasseus elegans*)
- \_\_\_ Black Skimmer (*Rynchops niger*)

### **Skuas and Jaegers (Stercorariidae)**

- \_\_\_ South Polar Skua (*Stercorarius maccormicki*)
- \_\_\_ Pomarine Jaeger (*Stercorarius pomarinus*)
- \_\_\_ Parasitic Jaeger (*Stercorarius parasiticus*)
- \_\_\_ Long-tailed Jaeger (*Stercorarius longicaudus*)

### **Auks, Murres, and Puffins (Alcidae)**

- \_\_\_ Common Murre (*Uria aalge*)
- \_\_\_ Pigeon Guillemot (*Cephus columba*)\*
- \_\_\_ Marbled Murrelet (*Brachyramphus marmoratus*)
- \_\_\_ Xantus's Murrelet (*Synthliboramphus hypoleucus*)\*(Is)
- \_\_\_ Craver's Murrelet (*Synthliboramphus craveri*)
- \_\_\_ Ancient Murrelet (*Synthliboramphus antiquus*)
- \_\_\_ Cassin's Auklet (*Ptychoramphus aleuticus*)\*(Is)
- \_\_\_ **Parakeet Auklet** (*Aethia psittacula*)
- \_\_\_ Rhinoceros Auklet (*Cerorhinca monocerata*)\*
- \_\_\_ Horned Puffin (*Fratercula corniculata*)
- \_\_\_ Tufted Puffin (*Fratercula cirrhata*)\*

### **Pigeons and Doves (Columbidae)**

- \_\_\_ Rock Pigeon (*Columba livia*)\*(I)
- \_\_\_ Band-tailed Pigeon (*Patagioenas fasciata*)\*
- \_\_\_ Eurasian Collared-Dove (*Streptopelia decaocto*)\*(I)
- \_\_\_ Spotted Dove (*Streptopelia chinensis*)\*(I)
- \_\_\_ White-winged Dove (*Zenaida asiatica*)
- \_\_\_ Mourning Dove (*Zenaida macroura*)\*
- \_\_\_ Common Ground-Dove (*Columbina passerina*)\*
- \_\_\_ **Ruddy Ground-Dove** (*Columbina talpacoti*)

### **Cuckoos, Roadrunners, and Anis (Cuculidae)**

- \_\_\_ Yellow-billed Cuckoo (*Coccyzus americanus*)
- \_\_\_ Greater Roadrunner (*Geococcyx californianus*)\*
- \_\_\_ **Groove-billed Ani** (*Crotophaga sulcirostris*)

### **Barn Owls (Tytonidae)**

- \_\_\_ Barn Owl (*Tyto alba*)\*

### **Typical Owls (Strigidae)**

- \_\_\_ Flammulated Owl (*Otus flammeolus*)\*
- \_\_\_ Western Screech-Owl (*Megascops kennicottii*)\*
- \_\_\_ Great Horned Owl (*Bubo virginianus*)\*
- \_\_\_ Northern Pygmy-Owl (*Glaucidium gnoma*)\*
- \_\_\_ Burrowing Owl (*Athene cunicularia*)\*
- \_\_\_ Spotted Owl (*Strix occidentalis*)\*
- \_\_\_ Long-eared Owl (*Asio otus*)\*
- \_\_\_ Short-eared Owl (*Asio flammeus*)
- \_\_\_ Northern Saw-whet Owl (*Aegolius acadicus*)\*

### **Goatsuckers (Caprimulgidae)**

- \_\_\_ Lesser Nighthawk (*Chordeiles acutipennis*)\*
- \_\_\_ Common Nighthawk (*Chordeiles minor*)
- \_\_\_ Common Poorwill (*Phalaenoptilus nuttallii*)\*
- \_\_\_ Whip-poor-will (*Caprimulgus vociferus*)

### **Swifts (Apodidae)**

- \_\_\_ Black Swift (*Cypseloides niger*)
- \_\_\_ Chimney Swift (*Chaetura pelagica*)
- \_\_\_ Vaux's Swift (*Chaetura vauxi*)
- \_\_\_ White-throated Swift (*Aeronautes saxatalis*)

### **Hummingbirds (Trochilidae)**

- \_\_\_ **Broad-billed Hummingbird** (*Cynanthus latirostris*)
- \_\_\_ Black-chinned Hummingbird (*Archilochus alexandri*)\*
- \_\_\_ Anna's Hummingbird (*Calypte anna*)\*
- \_\_\_ Costa's Hummingbird (*Calypte costae*)\*
- \_\_\_ Calliope Hummingbird (*Stellula calliope*)
- \_\_\_ Broad-tailed Hummingbird (*Selasphorus platycercus*)
- \_\_\_ Rufous Hummingbird (*Selasphorus rufus*)
- \_\_\_ Allen's Hummingbird (*Selasphorus sasin*)\*

### **Kingfishers (Alcedinidae)**

- \_\_\_ Belted Kingfisher (*Megaceryle alcyon*)\*

### **Woodpeckers and Allies (Picidae)**

- \_\_\_ Lewis's Woodpecker (*Melanerpes lewis*)
- \_\_\_ **Red-headed Woodpecker** (*Melanerpes erythrocephalus*)
- \_\_\_ Acorn Woodpecker (*Melanerpes formicivorus*)\*
- \_\_\_ Williamson's Sapsucker (*Sphyrapicus thyroideus*)
- \_\_\_ Yellow-bellied Sapsucker (*Sphyrapicus varius*)
- \_\_\_ Red-naped Sapsucker (*Sphyrapicus nuchalis*)
- \_\_\_ Red-breasted Sapsucker (*Sphyrapicus ruber*)\*
- \_\_\_ Nuttall's Woodpecker (*Picoides nuttallii*)\*
- \_\_\_ Downy Woodpecker (*Picoides pubescens*)\*
- \_\_\_ Hairy Woodpecker (*Picoides villosus*)\*
- \_\_\_ White-headed Woodpecker (*Picoides albolarvatus*)\*
- \_\_\_ Northern Flicker (*Colaptes auratus*)\*

### **Tyrant Flycatchers (Tyrannidae)**

- \_\_\_ Olive-sided Flycatcher (*Contopus cooperi*)\*
- \_\_\_ **Greater Pewee** (*Contopus pertinax*)
- \_\_\_ Western Wood-Pewee (*Contopus sordidulus*)\*
- \_\_\_ **Eastern Wood-Pewee** (*Contopus virens*)
- \_\_\_ **Yellow-bellied Flycatcher** (*Empidonax flaviventris*)
- \_\_\_ Willow Flycatcher (*Empidonax traillii*)\*
- \_\_\_ Least Flycatcher (*Empidonax minimus*)
- \_\_\_ Hammond's Flycatcher (*Empidonax hammondi*)
- \_\_\_ Gray Flycatcher (*Empidonax wrightii*)

- \_\_\_ Dusky Flycatcher (*Empidonax oberholseri*)\*
- \_\_\_ Pacific-slope Flycatcher (*Empidonax difficilis*)\*
- \_\_\_ Black Phoebe (*Sayornis nigricans*)\*
- \_\_\_ Eastern Phoebe (*Sayornis phoebe*)
- \_\_\_ Say's Phoebe (*Sayornis saya*)\*
- \_\_\_ Vermilion Flycatcher (*Pyrocephalus rubinus*)\*
- \_\_\_ **Dusky-capped Flycatcher** (*Myiarchus tuberculifer*)
- \_\_\_ Ash-throated Flycatcher (*Myiarchus cinerascens*)\*
- \_\_\_ **Great Crested Flycatcher** (*Myiarchus crinitus*)
- \_\_\_ Brown-crested Flycatcher (*Myiarchus tyrannulus*)
- \_\_\_ **Sulphur-bellied Flycatcher** (*Myiodynastes luteiventris*)
- \_\_\_ Tropical Kingbird (*Tyrannus melancholicus*)
- \_\_\_ Cassin's Kingbird (*Tyrannus vociferans*)\*
- \_\_\_ Western Kingbird (*Tyrannus verticalis*)\*
- \_\_\_ Eastern Kingbird (*Tyrannus tyrannus*)
- \_\_\_ Scissor-tailed Flycatcher (*Tyrannus forficatus*)

### **Shrikes (Laniidae)**

- \_\_\_ Loggerhead Shrike (*Lanius ludovicianus*)\*

### **Vireos (Vireonidae)**

- \_\_\_ **White-eyed Vireo** (*Vireo griseus*)
- \_\_\_ Bell's Vireo (*Vireo bellii*)\*
- \_\_\_ Gray Vireo (*Vireo vicinior*)(*Is*)
- \_\_\_ **Yellow-throated Vireo** (*Vireo flavifrons*)
- \_\_\_ Plumbeous Vireo (*Vireo plumbeus*)
- \_\_\_ Cassin's Vireo (*Vireo cassinii*)\*
- \_\_\_ **Blue-headed Vireo** (*Vireo solitarius*)
- \_\_\_ Hutton's Vireo (*Vireo huttoni*)\*
- \_\_\_ Warbling Vireo (*Vireo gilvus*)\*
- \_\_\_ Philadelphia Vireo (*Vireo philadelphicus*)
- \_\_\_ Red-eyed Vireo (*Vireo olivaceus*)
- \_\_\_ **Yellow-green Vireo** (*Vireo flavoviridis*)

### **Jays and Crows (Corvidae)**

- \_\_\_ Steller's Jay (*Cyanocitta stelleri*)\*
- \_\_\_ Island Scrub-Jay (*Aphelocoma insularis*)(*Is*)
- \_\_\_ Western Scrub-Jay (*Aphelocoma californica*)\*
- \_\_\_ Pinyon Jay (*Gymnorhinus cyanocephalus*)
- \_\_\_ Clark's Nutcracker (*Nucifraga columbiana*)
- \_\_\_ Yellow-billed Magpie (*Pica nuttalli*)\*
- \_\_\_ American Crow (*Corvus brachyrhynchos*)\*
- \_\_\_ Common Raven (*Corvus corax*)\*

### **Larks (Alaudidae)**

- \_\_\_ Horned Lark (*Eremophila alpestris*)\*

### **Swallows (Hirundinidae)**

- \_\_\_ Purple Martin (*Progne subis*)\*
- \_\_\_ Tree Swallow (*Tachycineta bicolor*)\*
- \_\_\_ Violet-green Swallow (*Tachycineta thalassina*)\*
- \_\_\_ Northern Rough-winged Swallow (*Stelgidopteryx serripennis*)\*
- \_\_\_ Bank Swallow (*Riparia riparia*)\*
- \_\_\_ Cliff Swallow (*Petrochelidon pyrrhonota*)\*

\_\_ Barn Swallow (*Hirundo rustica*)\*

### **Chickadees and Titmice (Paridae)**

\_\_ Mountain Chickadee (*Poecile gambeli*)\*

\_\_ Chestnut-backed Chickadee (*Poecile rufescens*)\*

\_\_ Oak Titmouse (*Baeolophus inornatus*)\*

### **Verdin (Remizidae)**

\_\_ Verdin (*Auriparus flaviceps*)

### **Bushtits (Aegithalidae)**

\_\_ Bushtit (*Psaltriparus minimus*)\*

### **Nuthatches (Sittidae)**

\_\_ Red-breasted Nuthatch (*Sitta canadensis*)\*

\_\_ White-breasted Nuthatch (*Sitta carolinensis*)\*

\_\_ Pygmy Nuthatch (*Sitta pygmaea*)\*

### **Creepers (Certhiidae)**

\_\_ Brown Creeper (*Certhia americana*)\*

### **Wrens (Troglodytidae)**

\_\_ Rock Wren (*Salpinctes obsoletus*)\*

\_\_ Canyon Wren (*Catherpes mexicanus*)\*

\_\_ Bewick's Wren (*Thryomanes bewickii*)\*

\_\_ House Wren (*Troglodytes aedon*)\*

\_\_ Winter Wren (*Troglodytes troglodytes*)\*

\_\_ **Sedge Wren** (*Cistothorus platensis*)

\_\_ Marsh Wren (*Cistothorus palustris*)\*

### **Dippers (Cinclidae)**

\_\_ American Dipper (*Cinclus mexicanus*)\*

### **Kinglets (Regulidae)**

\_\_ Golden-crowned Kinglet (*Regulus satrapa*)\*

\_\_ Ruby-crowned Kinglet (*Regulus calendula*)

### **Old World Warblers and Gnatcatchers (Sylviidae)**

\_\_ **Dusky Warbler** (*Phylloscopus fuscatus*)

\_\_ Blue-gray Gnatcatcher (*Polioptila caerulea*)\*

### **Thrushes (Turdidae)**

\_\_ Western Bluebird (*Sialia mexicana*)\*

\_\_ Mountain Bluebird (*Sialia currucoides*)

\_\_ Townsend's Solitaire (*Myadestes townsendi*)

\_\_ Swainson's Thrush (*Catharus ustulatus*)\*

\_\_ Hermit Thrush (*Catharus guttatus*)\*

\_\_ **Wood Thrush** (*Hylocichla mustelina*)

\_\_ American Robin (*Turdus migratorius*)\*

\_\_ Varied Thrush (*Ixoreus naevius*)

### **Babblers (Timaliidae)**

\_\_ Wrentit (*Chamaea fasciata*)\*

### **Mockingbirds and Thrashers (Mimidae)**

\_\_ Gray Catbird (*Dumetella carolinensis*)

\_\_ Northern Mockingbird (*Mimus polyglottos*)\*

\_\_ Sage Thrasher (*Oreoscoptes montanus*)

\_\_ Brown Thrasher (*Toxostoma rufum*)

\_\_ Bendire's Thrasher (*Toxostoma bendirei*)

\_\_ California Thrasher (*Toxostoma redivivum*)\*

\_\_ LeConte's Thrasher (*Toxostoma lecontei*)

### **Starlings (Sturnidae)**

\_\_ European Starling (*Sternus vulgaris*)\*(I)

### **Wagtails and Pipits (Motacillidae)**

\_\_ **Eastern Yellow Wagtail** (*Motacilla tschutschensis*)

\_\_ **White Wagtail** (*Motacilla alba*)

\_\_ Red-throated Pipit (*Anthus cervinus*)

\_\_ American Pipit (*Anthus rubescens*)

\_\_ **Sprague's Pipit** (*Anthus spragueii*)

### **Waxwings (Bombycillidae)**

\_\_ Bohemian Waxwing (*Bombycilla garrulus*)

\_\_ Cedar Waxwing (*Bombycilla cedrorum*)

### **Silky-Flycatchers (Ptilonotidae)**

\_\_ Phainopepla (*Phainopepla nitens*)\*

### **Wood-Warblers (Parulidae)**

\_\_ **Golden-winged Warbler** (*Vermivora chrysoptera*)

\_\_ Tennessee Warbler (*Vermivora peregrina*)

\_\_ Orange-crowned Warbler (*Vermivora celata*)\*

\_\_ Nashville Warbler (*Vermivora ruficapilla*)\*

\_\_ Virginia's Warbler (*Vermivora virginiae*)

\_\_ Lucy's Warbler (*Vermivora luciae*)

\_\_ Northern Parula (*Parula americana*)\*

\_\_ Yellow Warbler (*Dendroica petechia*)\*

\_\_ Chestnut-sided Warbler (*Dendroica pensylvanica*)

\_\_ Magnolia Warbler (*Dendroica magnolia*)

\_\_ Cape May Warbler (*Dendroica tigrina*)

\_\_ Black-throated Blue Warbler (*Dendroica caerulescens*)

\_\_ Yellow-rumped Warbler (*Dendroica coronata*)\*

\_\_ Black-throated Gray Warbler (*Dendroica nigrescens*)\*

\_\_ Black-throated Green Warbler (*Dendroica virens*)

\_\_ Townsend's Warbler (*Dendroica townsendi*)

\_\_ Hermit Warbler (*Dendroica occidentalis*)

\_\_ Blackburnian Warbler (*Dendroica fusca*)

\_\_ **Yellow-throated Warbler** (*Dendroica dominica*)

\_\_ **Grace's Warbler** (*Dendroica graciae*)

\_\_ **Pine Warbler** (*Dendroica pinus*)

\_\_ Prairie Warbler (*Dendroica discolor*)

\_\_ Palm Warbler (*Dendroica palmarum*)

\_\_ Bay-breasted Warbler (*Dendroica castanea*)

\_\_ Blackpoll Warbler (*Dendroica striata*)

\_\_ Black-and-white Warbler (*Mniotilta varia*)

- \_\_\_ American Redstart (*Setophaga ruticilla*)
- \_\_\_ Prothonotary Warbler (*Protonotaria citrea*)
- \_\_\_ **Worm-eating Warbler** (*Helmitheros vermivorum*)
- \_\_\_ Ovenbird (*Seiurus aurocapilla*)
- \_\_\_ Northern Waterthrush (*Seiurus noveboracensis*)
- \_\_\_ **Louisiana Waterthrush** (*Seiurus motacilla*)
- \_\_\_ Kentucky Warbler (*Oporornis formosus*)
- \_\_\_ **Connecticut Warbler** (*Oporornis agilis*)
- \_\_\_ **Mourning Warbler** (*Oporornis philadelphia*)
- \_\_\_ MacGillivray's Warbler (*Oporornis tolmiei*)\*
- \_\_\_ Common Yellowthroat (*Geothlypis trichas*)\*
- \_\_\_ Hooded Warbler (*Wilsonia citrina*)\*
- \_\_\_ Wilson's Warbler (*Wilsonia pusilla*)\*
- \_\_\_ Canada Warbler (*Wilsonia canadensis*)
- \_\_\_ Painted Redstart (*Myioborus pictus*)
- \_\_\_ Yellow-breasted Chat (*Icteria virens*)\*

### **Emberizids (Emberizidae)**

- \_\_\_ Green-tailed Towhee (*Pipilo chlorurus*)
- \_\_\_ Spotted Towhee (*Pipilo maculatus*)\*
- \_\_\_ California Towhee (*Pipilo crissalis*)\*
- \_\_\_ **Cassin's Sparrow** (*Aimophila cassinii*)
- \_\_\_ Rufous-crowned Sparrow (*Aimophila ruficeps*)\*
- \_\_\_ American Tree Sparrow (*Spizella arborea*)
- \_\_\_ Chipping Sparrow (*Spizella passerina*)\*
- \_\_\_ Clay-colored Sparrow (*Spizella pallida*)
- \_\_\_ Brewer's Sparrow (*Spizella breweri*)\*
- \_\_\_ Black-chinned Sparrow (*Spizella atrogularis*)\*
- \_\_\_ Vesper Sparrow (*Pooecetes gramineus*)
- \_\_\_ Lark Sparrow (*Chondestes grammacus*)\*
- \_\_\_ Black-throated Sparrow (*Amphispiza bilineata*)\*
- \_\_\_ Sage Sparrow (*Amphispiza belli*)\*
- \_\_\_ Lark Bunting (*Calamospiza melanocorys*)
- \_\_\_ Savannah Sparrow (*Passerculus sandwichensis*)\*
- \_\_\_ Grasshopper Sparrow (*Ammodramus savannarum*)\*
- \_\_\_ Nelson's Sparrow (*Ammodramus nelsoni*)
- \_\_\_ Fox Sparrow (*Passerella iliaca*)\*
- \_\_\_ Song Sparrow (*Melospiza melodia*)\*
- \_\_\_ Lincoln's Sparrow (*Melospiza lincolni*)
- \_\_\_ Swamp Sparrow (*Melospiza georgiana*)
- \_\_\_ White-throated Sparrow (*Zonotrichia albicollis*)
- \_\_\_ Harris's Sparrow (*Zonotrichia querula*)
- \_\_\_ White-crowned Sparrow (*Zonotrichia leucophrys*)\*
- \_\_\_ Golden-crowned Sparrow (*Zonotrichia atricapilla*)
- \_\_\_ Dark-eyed Junco (*Junco hyemalis*)\*
- \_\_\_ McCown's Longspur (*Calcarius mccownii*)
- \_\_\_ Lapland Longspur (*Calcarius lapponicus*)
- \_\_\_ Chestnut-collared Longspur (*Calcarius ornatus*)

### **Tanagers, Cardinals, Saltators, and Allies (Cardinalidae)**

- \_\_\_ Hepatic Tanager (*Piranga flava*)
- \_\_\_ Summer Tanager (*Piranga rubra*)
- \_\_\_ **Scarlet Tanager** (*Piranga olivacea*)
- \_\_\_ Western Tanager (*Piranga ludoviciana*)\*
- \_\_\_ **Pyrrhuloxia** (*Cardinalis sinuatus*)(Is)
- \_\_\_ Rose-breasted Grosbeak (*Phuecticus ludovicianus*)

- \_\_\_ Black-headed Grosbeak (*Phuecticus melanocephalus*)\*
- \_\_\_ Blue Grosbeak (*Passerina caerulea*)\*
- \_\_\_ Lazuli Bunting (*Passerina amoena*)\*
- \_\_\_ Indigo Bunting (*Passerina cyanea*)
- \_\_\_ **Painted Bunting** (*Passerina ciris*)
- \_\_\_ Dickcissel (*Spiza americana*)

### **Blackbirds (Icteridae)**

- \_\_\_ Bobolink (*Dolichonyx oryzivorus*)
- \_\_\_ Red-winged Blackbird (*Agelaius phoeniceus*)\*
- \_\_\_ Tricolored Blackbird (*Agelaius tricolor*)\*
- \_\_\_ Western Meadowlark (*Sturnella neglecta*)\*
- \_\_\_ Yellow-headed Blackbird (*Xanthocephalus xanthocephalus*)
- \_\_\_ Rusty Blackbird (*Euphagus carolinus*)
- \_\_\_ Brewer's Blackbird (*Euphagus cyanocephalus*)\*
- \_\_\_ **Common Grackle** (*Quiscalus quiscula*)
- \_\_\_ Great-tailed Grackle (*Quiscalus mexicanus*)\*
- \_\_\_ Brown-headed Cowbird (*Molothrus ater*)\*
- \_\_\_ Orchard Oriole (*Icterus spurius*)
- \_\_\_ Hooded Oriole (*Icterus cucullatus*)\*
- \_\_\_ Bullock's Oriole (*Icterus bullockii*)\*
- \_\_\_ Baltimore Oriole (*Icterus galbula*)
- \_\_\_ Scott's Oriole (*Icterus parisorum*)\*

### **Fringilline Finches and Allies (Fringillidae)**

- \_\_\_ Purple Finch (*Carpodacus purpureus*)\*
- \_\_\_ Cassin's Finch (*Carpodacus cassinii*)\*
- \_\_\_ House Finch (*Carpodacus mexicanus*)\*
- \_\_\_ Red Crossbill (*Loxia curvirostra*)
- \_\_\_ Pine Siskin (*Spinus pinus*)
- \_\_\_ Lesser Goldfinch (*Spinus psaltria*)\*
- \_\_\_ Lawrence's Goldfinch (*Spinus lawrencei*)\*
- \_\_\_ American Goldfinch (*Spinus tristis*)\*
- \_\_\_ Evening Grosbeak (*Coccothraustes vespertinus*)

### **Old World Sparrows (Passeridae)**

- \_\_\_ House Sparrow (*Passer domesticus*)\*(I)